

ДОГОВОР

№ 3ОП-1

Днес 04.01.2017 год. в гр. Русе на основание чл.18, ал.12 от ЗОП във връзка с възлагане на обществена поръчка по ЗОП между:

1. **ОБЩИНА РУСЕ**, представлявана от **Кмета ПЛАМЕН СТОИЛОВ**, адрес: пл. „Свобода” №6, ЕИК по Булстат: 000530632, наричана по-долу **ВЪЗЛОЖИТЕЛ**, от една страна

и

2. **КООПЕРАЦИЯ „ПАНДА“**, ЕИК 000885099, със седалище и адрес на управление: гр. София, р-н Младост, бул. Цариградско шосе №139, представлявано от Елка Николова Каменова – Цанкова – председател на кооперацията, наричана по-долу **ИЗПЪЛНИТЕЛ**,

Страните се споразумяха за следното:

I. ПРЕДМЕТ НА ДОГОВОРА

1.1. **ВЪЗЛОЖИТЕЛЯТ** възлага, а **ИЗПЪЛНИТЕЛЯТ** приема да извърши доставка на **Лазерно многофункционално устройство А4 - вид 1** по обособена позиция № 20, съгласно Техническото предложение и изискванията на Възложителя посочени в техническата спецификация., представляващи Приложение № 2 и №4 към настоящия договор

1.2. Изпълнението на договора се основава на офертата на ИЗПЪЛНИТЕЛЯ, изискванията на ВЪЗЛОЖИТЕЛЯ, и действащите нормативни актове.

II. СРОК И МЯСТО НА ИЗПЪЛНЕНИЕ НА ДОГОВОРА

2.1. Настоящият договор влиза в сила от датата на подписването му от страните.

2.2. Мястото на изпълнение на договора е гр. Русе, 7000, пл. “Свобода” № 6.

2.3 Срокът за изпълнение предмета на договора е 20 (двадесет) календарни дни, считано от датата на подписването му от страните.

III. ЦЕНИ И НАЧИН НА ПЛАЩАНЕ

3.1. Цената на договора е в съответствие с Ценовото предложение на ИЗПЪЛНИТЕЛЯ, представляващо Приложение № 3 към настоящия договор и е 786,36 /Словом седемстотин осемдесет и шест лв. и 36 ст. / с ДДС. В тази цена са включени всички разходи по изпълнение на договора, вкл. доставка до мястото на изпълнение.

3.2. Плащането се извършва с платежно нареждане по банков път, в български левове по сметката на ИЗПЪЛНИТЕЛЯ: IBAN:, BIC: В, след доставката и подписване на приемо-предавателен протокол от представителите на двете страни, в срок до 30 дни след представяне на оригинална фактура от ИЗПЪЛНИТЕЛЯ, издадена на ВЪЗЛОЖИТЕЛЯ или негов второстепенен разпоредител, съгласно Приложение №1.

3.3. ВЪЗЛОЖИТЕЛЯТ се задължава да определи длъжностно лице, което да бъде отговорно за приемането на техниката от ИЗПЪЛНИТЕЛЯ.

IV. ПРАВА И ЗАДЪЛЖЕНИЯ НА ИЗПЪЛНИТЕЛЯ

4.1. ИЗПЪЛНИТЕЛЯТ, след коректно изпълнение на доставката, има право да получи договореното възнаграждение по т.3.1, съгласно условията на т.3.2.

4.2. ИЗПЪЛНИТЕЛЯТ е длъжен да извърши доставка на компютри или техника с качество, технически параметри и окомплектовка, съгласно изискванията на Възложителя, в Техническата спецификация и Техническото предложение на ИЗПЪЛНИТЕЛЯ, представляващо Приложение № 2 към настоящия договор.

4.3. ИЗПЪЛНИТЕЛЯТ е длъжен да осигурява гаранционно обслужване на доставената техника през времето на гаранционния срок.

4.4. ИЗПЪЛНИТЕЛЯТ следва да спазва срока за изпълнение съгласно т.2.3. от настоящия договор.

4.5. ИЗПЪЛНИТЕЛЯТ е длъжен да спазва условията за сервизна поддръжка, като се отзове за отстраняване на проблем на място при възложителя рамките на до 4 часа след получаване на сигнала.

4.6. ИЗПЪЛНИТЕЛЯТ се задължава да отстранява възникнали повреди в срок от 24 часа след приемане на дефектната техника от представител на Община Русе, чрез подписване на приемо-предавателен протокол. При невъзможност да се отстрани повредата в посочения срок, изпълнителят е длъжен да замени дефектиралата техника с обратна такава.

4.7. Изпълнителят сключва договор за подизпълнение с подизпълнителите, посочени в офертата.

4.8. В срок до 3 дни от сключването на договор за подизпълнение или на допълнително споразумение за замяна на посочен в офертата подизпълнител изпълнителят изпраща копие на договора или на допълнителното споразумение на възложителя заедно с доказателства, че са изпълнени условията по чл. 66, ал. 2 и 11 ЗОП.

4.9. Подизпълнителите нямат право да превъзлагат една или повече от дейностите, които са включени в предмета на договора за подизпълнение.

V. ПРАВА И ЗАДЪЛЖЕНИЯ НА ВЪЗЛОЖИТЕЛЯ

5.1. ВЪЗЛОЖИТЕЛЯТ има право да получи точно и качествено изпълнение на договора в съответствие с техническата спецификация.

5.2. Когато ИЗПЪЛНИТЕЛЯ се е отклонил от изискванията за доставката по т. 1.1. от договора, ВЪЗЛОЖИТЕЛЯ има право да откаже приемането и заплащането на възнаграждението, докато ИЗПЪЛНИТЕЛЯ не изпълни своите задължения съгласно договора.

5.3 ВЪЗЛОЖИТЕЛЯТ е длъжен да заплати уговорената в т. 3.1. цена при условията и сроковете на настоящия договор.

VI. ГАРАНЦИОННИ СРОКОВЕ И РЕКЛАМАЦИИ

6.1. Гаранционните срокове за изпълнената доставка, посочени в офертата на изпълнителя са: 24 месеца.

6.2. Сроковете за предявяване на рекламациите започват да текат от момента на подписване на приемателно-предавателния протокол.

6.3. Всички дефекти, появили се в гаранционния срок, които не са причинени от неправилно действие на служители на ВЪЗЛОЖИТЕЛЯ, се отстраняват от и за сметка на ИЗПЪЛНИТЕЛЯ.

6.4. ИЗПЪЛНИТЕЛЯТ трябва да спазва условията за сервизна поддръжка, като се отзове за отстраняване на проблем на място при възложителя рамките на 4 часа след получаване на сигнала.

6.5. В рамките на гаранционния срок ИЗПЪЛНИТЕЛЯ е длъжен да извърши ремонта в срок до 24 часа от уведомяването за настъпилата повреда, а при невъзможност следва да замени дефектиралата техника с обратна такава.

VII. ГАРАНЦИЯ ЗА ИЗПЪЛНЕНИЕ НА ДОГОВОРА

7.1. При подписване на договора ИЗПЪЛНИТЕЛЯТ следва да представи документ за внесена гаранция за изпълнение в една от следните форми:

- депозит на парична сума в лева в размер на 5% от общата стойност по т.3.1 без ДДС, по следната банкова сметка на Община Русе: по ТБ Инвестбанк АД, Клон Русе, BIC - IORTBGSF ; IBAN - BG37 IORT 7379 3300 0300 00.

- банкова гаранция за сума в лева в размер на 5% от общата стойност по т.3.1. от договора със срок на валидност срокът на договора, удължен с 30 (тридесет) дни. Гаранцията следва да бъде безусловна, неотменима, с възможност да се усвои изцяло или на части и да съдържа задължение на банката-гарант да извърши безусловно плащане при първото писмено искане от ВЪЗЛОЖИТЕЛЯ.

- застраховка, която обезпечава изпълнението чрез покритие на отговорността на изпълнителя.

7.2. Половината от гаранцията за изпълнение служи за обезпечаване на гаранционното поддържане на осн. чл. 111, ал. 10, изр. 2 от ЗОП.

7.3. ВЪЗЛОЖИТЕЛЯТ има право да пристъпи към упражняване на правата по гаранцията за изпълнение, когато ИЗПЪЛНИТЕЛЯТ не изпълни някое от задълженията си по договора, както и когато прекъсне изпълнението на договора, без да са налице непредвидени обстоятелства и без писменото съгласие на възложителя. Дължимите неустойки и обезщетения могат да се удържат от гаранцията за изпълнение.

7.4. Гаранцията за изпълнение на договора се освобождава в 20-дневен срок от датата на предаване на компютрите или техниката, а в частта, обезпечаваща гаранционното поддържане – в 20-дневен срок от изтичане на гаранционния срок.

7.5. ВЪЗЛОЖИТЕЛЯТ не дължи лихви върху сумите за времето, през което тези суми законно са престоили при него.

VIII. НЕУСТОЙКИ И ОБЕЗЩЕТЕНИЯ

8.1. Дължимите от **ИЗПЪЛНИТЕЛЯ** по този договор неустойки се удържат от гаранцията за изпълнение, а в случай че те я надвишават по размер, **ВЪЗЛОЖИТЕЛЯТ** има право на разликата до пълния ѝ размер.

8.2. При забавено изпълнение след срока по чл. 2.3. **ИЗПЪЛНИТЕЛЯТ** дължи на **ВЪЗЛОЖИТЕЛЯ** неустойка в размер на 0,1 на сто на ден от общата стойност на договора.

8.3. При разваляне на договора от страна на Възложителя по реда на чл. 87 от ЗЗД **ИЗПЪЛНИТЕЛЯТ** дължи на **ВЪЗЛОЖИТЕЛЯ** неустойка в размер на 20 на сто от общата стойност на договора.

8.4. Страната, която е понесла щети от виновното неизпълнение на договорените задължения може да търси и по-големи вреди.

8.5. При неспазване на срока по чл. 6.5. за отстраняване на повреда в гаранционния срок и ако не изпълни задължението си за предоставяне на обратна техника, **ИЗПЪЛНИТЕЛЯТ** дължи на **ВЪЗЛОЖИТЕЛЯ** обезщетение в размер на 0,1 на сто на ден от общата стойност на договора.

IX. ОТПАДАНЕ НА ОТГОВОРНОСТТА ПРИ ФОРСМАЖОРНИ ОБСТОЯТЕЛСТВА

9.1. Страните се освобождават от отговорност при частично или пълно неизпълнение на договорните задължения, когато причината за форсмажора са обстоятелства, върху които те нямат влияние.

9.2. За настъпилите форсмажорни обстоятелства страната, която се позовава на тях трябва да изпрати на другата страна незабавно писмено съобщение, в което се посочва и причинната връзка между неизпълнението на договора и форсмажорното обстоятелство.

9.3. В случай на форсмажорни обстоятелства, които влияят на предвидените в договора срокове, съответният срок се удължава с времето на тяхното продължение.

9.4. Ако форсмажорните обстоятелства продължават повече от два месеца, всяка от страните може да развали договора напълно или частично без съдебна намеса с тридесет дневно писмено предизвестие.

9.5. По инициатива на позоваващата се на форсмажорни обстоятелства страна, двете страни се срещат за уреждане на възникналите във връзка с форсмажорните обстоятелства въпроси и финансови взаимоотношения.

X. УСЛОВИЯ ЗА ПРЕКРАТЯВАНЕ ИЛИ РАЗВАЛЯНЕ НА ДОГОВОРА

- 10.1. Настоящият договор може да бъде прекратен или развален:
- 10.1.1. С изпълнение на задълженията на страните по него.
 - 10.1.2. По взаимно съгласие, изразено писмено.
 - 10.1.3. При настъпване на обективна невъзможност за изпълнение.
 - 10.1.4. При виновно неизпълнение на задълженията на една от страните по договора договорът може да бъде развален от изправната страна при условията на чл. 87 от ЗЗД.

XI. ОБЩИ УСЛОВИЯ

11.1. Настоящият договор не може да бъде изменен, освен в случаите на чл. 116 от ЗОП.

11.2. Възникналите спорове по нерешени от договора въпроси ще се решават по споразумение, а когато това се окаже невъзможно – по реда на гражданското законодателство на Република България.

Настоящият договор се състави в **три еднообразни екземпляра** – два за възложителя и един за изпълнителя.

Приложения:

1. Информация за начина на фактуриране;
2. Техническо предложение;
3. Ценово предложение;
4. Техническа спецификация.

ВЪЗЛОЖИТЕЛ:
ПЛАМЕН ПАСЕВ СТОЙЧЕВ
Кмет на Община Русе

САБИНА МИНКОВСКА
Началник отдел ФС

ИЗПЪЛНИТЕЛ: **ЕЛКА НИКОЛОВА КАМЕНОВА - ЦАНКОВА**
Председател на Кооперация „Ланда“

Информация за начина на фактуриране

№	Наименование	Адрес	Булстат	МОЛ	Вид техника	
					Позиция	Наименование
1	Община Русе	гр. Русе, пл. „Свобода“ №6	000530632	Пламен Стоилов	1	Сървър
					3	Компютърна система (вид 2)
					4	Компютърна система (вид 3)
					5	Компютърна система (вид 4)
					7	Компютърна система (вид 6)
					9	Преносим компютър (вид 1)
					11	Преносим компютър (вид 3)
					12	Монитор
					13	Документен скенер
					14	Лазерен принтер (вид 1)
					16	Мрежов лазерен принтер
					17	Цветен лазерен принтер
					18	Матричен принтер
					19	Мастиленоструйно многофункционално устройство А3
					21	Лазерно многофункционално устройство – А4 (вид 2)
					22	Лазерно многофункционално устройство – А4 (вид 3)
					23	Лазерно многофункционално устройство – А4 (вид 4)
					24	Цветно лазерно многофункционално устройство - А4
25	Лазерно многофункционално устройство – А3					
26	Цветно лазерно многофункционално устройство – А3					
27	Мултимедиен проектор					
28	Бордови компютър					
2	Община Русе	гр. Русе, пл. „Свобода“ №6	000530632	Пламен Стоилов	16	Мрежов лазерен принтер
3	Община Русе	гр. Русе, пл. „Свобода“ №6	000530632	Пламен Стоилов	23	Лазерно многофункционално устройство – А4 (вид 4)
4	Община Русе	гр. Русе, пл. „Свобода“ №6	000530632	Пламен Стоилов	2	Компютърна система (вид 1)
					10	Преносим компютър (вид 2)
					15	Лазерен принтер (вид 2)
					Задължителен текст към фактурата	
					В описателната част на фактурата следва да се впише следният текст: „Разходът е по проект „Кризисен център на територията на Община Русе за жертви на домашно насилие и насилие, основано на полов признак и предоставяне на услуги в него“, договор за безвъзмездна финансова помощ № 812108-59 от 18.08.2015 год., ВГ 12, НФМ 2009-2014.“	

ЦЕНОВО ПРЕДЛОЖЕНИЕ

От Кооперация "Панда" – (Мастер франчайзер за Република България на "Office 1 Superstores International" Inc., САЩ), със седалище в гр. София и адрес на управление: район „Младост“, бул. „Цариградско шосе“ No 139, рег. по ф.д. № 1451/1992 г. на СГС, с ЕИК по БУЛСТАТ 000885099, с идентификационен номер по ЗДДС BG 000885099, представлявана от Елка Николова Каменова – Цанкова, с ЕГН 7704228759, с л.к. № 646023340, изд. на 10.09.2015 г. от МВР, гр. София, в качеството и на Председател на кооперацията, тел.: 02/9766896, факс: 02/9766879, e-mail: zop@office1.bg

УВАЖАЕМИ ДАМИ И ГОСПОДА,

1. С настоящото, Ви представяме нашата ценова оферта за участие в обявената от Вас обществена поръчка с предмет: "Доставка на компютърна и периферна техника по обособени позиции за Община Русе и всички второстепенни разпоредители с бюджетни кредити, които нямат статут на юридически лица и не са възложители по ЗОП", конкретно за обособена позиция №20 Доставка на лазерно многофункционално устройство А4 (вид 1)

1.1. Предлагаме да изпълним доставката, съобразно условията на документацията за участие, както следва:

ОБЩА ЦЕНА за изпълнение на настоящата позиция 786,36 - цифром лв. /седемстотин осемдесет и шест лева и 36 ст./ с ДДС, формирана както следва:

Предмет на доставката	Количество	Единична цена с вкл. ДДС
Лазерно многофункционално устройство А4 (вид 1)	1	786,36

2. Предложените цени са определени при пълно съответствие с условията в процедурата и техническата спецификация.

3. Задължаваме се, ако нашата оферта бъде приета и сме определени за изпълнители, да изпълним предмета на обществената поръчка, съгласно сроковете и условията, залегнали в договора. Декларираме, че сме съгласни заплащането да става съгласно клаузите залегнали в (проекто) договора, като всички наши действия подлежат на проверка и съгласуване от страна на Възложителя.

Забележка: Офертите на участниците не трябва да надхвърлят общата прогнозна стойност за позицията. Определената прогнозна стойност се явява максимална и оферти над нея ще бъдат отстранявани.

Известна ми е отговорността по чл. 313 от Наказателния кодекс за посочване на неверни данни.

Дата: 17 Септември 2016 г.
гр. София

Подпис и печат:.....

Елка Каменова-Цанкова
Председател на Кооперация "Панда"



**ТЕХНИЧЕСКО ПРЕДЛОЖЕНИЕ ЗА ИЗПЪЛНЕНИЕ НА ДОСТАВКАТА
по позиция 20**

от Кооперация "Панда" – (Мастер франчайзер за Република България на "Office 1 Superstores International" Inc., САЩ), със седалище в гр. София и адрес на управление: район „Младост“, бул. „Цариградско шосе“ No 139, рег. по ф.д. № 1451/1992 г. на СГС, с ЕИК по БУЛСТАТ 000885099, с идентификационен номер по ЗДДС BG 000885099, представлявана от Елка Николова Каменова – Цанкова, с ЕГН 7704228759, с л.к. № 646023340, изд. на 10.09.2015 г. от МВР, гр. София, в качеството и на Председател на кооперацията, тел.: 02/9766896, факс: 02/9766879, e-mail: zop@office1.bg

УВАЖАЕМИ ДАМИ И ГОСПОДА,

1. След запознаване с всички документи и образци от документацията за участие в процедурата, получаването, на които потвърждаваме с настоящото, ние удостоверяваме и потвърждаваме, че представляваният от нас участник отговаря на изискванията и условията, посочени в документацията за участие в процедура с предмет: **“Доставка на компютърна и периферна техника по обособени позиции за Община Русе и всички второстепенни разпоредители с бюджетни кредити, които нямат статут на юридически лица и не са възложители по ЗОП“**

2. Декларираме, че сме получили посредством „Профила на купувача“ документация за участие и сме запознати с указанията и условията за участие в обявената от Вас процедура. Съгласни сме с поставените от Вас условия и ги приемаме без възражения.

3. Декларираме:

3.1. Разполагаме със сервизна база на територията на гр. Русе за извършване на гаранционно обслужване на доставяната техника. Сервизната база е наета и се намира на адрес ул. "Константин Иречек" №5;

3.2. **Време за реакция при хардуерна повреда – в рамките на 4 часа;**

3.3. **Срок за отстраняване на повреда – в рамките на 24 часа, като при невъзможност ще заменим дефектиралата техника с обратна такава.**

3.4. Имаме готовност за изпълнение на доставката в рамките на: 20 /двадесет/ календарни дни. /не повече от 20/

4. За изпълнение предмета на поръчката прилагаме:

4.1. Техническа спецификация и гаранционни условия за поддръжка на техниката; /съобразени с поставените минимални изисквания/

4.2 документ за упълномощаване, когато лицето, което подава офертата, не е законният представител на участника – оригинал или нотариално заверено копие;

4.3. декларация за съгласие с клаузите на приложения проект на договор - попълва се Образец № 4;

4.4. декларация за срока на валидност на офертата - попълва се Образец № 5;

4.5. декларация, че при изготвяне на офертата са спазени задълженията, свързани с данъци и осигуровки, закрила на заетостта и условията на труд - попълва се Образец № 6;

Дата: 17 Септември 2016 г.
гр. София

Подпис и печат

Елка Каменова-Цанкова
Председател на Кооперация "Панда"



Техническа спецификация и гаранционни условия за поддръжка на техниката


Предмет на доставката	Количество	Техническо описание
20. Лазерно многофункционално устройство - A4 (вид 1) Функции: принтер, скенер, копир и факс Резолюция на принтера: 1200 x 1200 dpi Скорост на печат (едностранно, A4): 40 стр./мин Скорост на печат (двустранно, A4): 20 стр./мин Резолюция на скенера: 1200 x 1200 от стъклото, 600 x 600 dpi от автоматичното подаващо у-во Резолюция на копиране: 1200 x 600 dpi Памет: 256 MB Процесор: 800 MHz Дисплей: Да, сензорен Интерфейс: USB 2.0, USB хост за директен печат и сканиране, Fast Ethernet Размер на хартията: A4 Двустранен печат: Да, автоматичен Автоматично подаващо устройство: Да, двустранно Функции на скенера: Цветно двустранно сканиране, сканиране към E-mail, изображение, PDF, сканиране към мрежова папка (Windows), сканиране към USB памет Драйвери за скенера: TWAIN, WIA, ISIS Факс: Да, 33600bps Капацитет за хартия (входяща тава): 250 листа Капацитет за хартия (изходяща тава): 150 листа Капацитет за хартия (мултифункционална тава): 50 листа Капацитет за хартия (автоматично листоподаващо устройство): 50 листа Максимално месечно натоварване: 50 000 стр./месец Възможност за печат на: обикновена хартия, плътна хартия, рециклирана хартия, пликосе, етикети Съвместими операционни системи: Windows 7 (32bit, 64bit), Windows 8 (32bit, 64bit), Windows 8.1 (32bit, 64bit), Windows 10 (32bit, 64bit) USB кабел: Да Гаранция: 24 месеца от производителя	1	Brother MFC-L5700DN Laser Multifunctional, кат.номер - MFCL5700DNYJ1 Функции: принтер, скенер, копир и факс Резолюция на принтера: 1200 x 1200 dpi Скорост на печат (едностранно, A4): 40 стр./мин Скорост на печат (двустранно, A4): 20 стр./мин Резолюция на скенера: 1200 x 1200 от стъклото, 600 x 600 dpi от автоматичното подаващо у-во Резолюция на копиране: 1200 x 600 dpi Памет: 256 MB Процесор: 800 MHz Дисплей: Да, сензорен Интерфейс: USB 2.0, USB хост за директен печат и сканиране, Fast Ethernet Размер на хартията: A4 Двустранен печат: Да, автоматичен Автоматично подаващо устройство: Да, двустранно Функции на скенера: Цветно двустранно сканиране, сканиране към E-mail, изображение, PDF, сканиране към мрежова папка (Windows), сканиране към USB памет Драйвери за скенера: TWAIN, WIA, ISIS Факс: Да, 33600bps Капацитет за хартия (входяща тава): 250 листа Капацитет за хартия (изходяща тава): 150 листа Капацитет за хартия (мултифункционална тава): 50 листа Капацитет за хартия (автоматично листоподаващо устройство): 50 листа Максимално месечно натоварване: 50 000 стр./месец Възможност за печат на: обикновена хартия, плътна хартия, рециклирана хартия, пликосе, етикети Съвместими операционни системи: Windows 7 (32bit, 64bit), Windows 8 (32bit, 64bit), Windows 8.1 (32bit, 64bit), Windows 10 (32bit, 64bit) USB кабел: Да Гаранция: 24 месеца от производителя

Дата: 17.09.2016 г.

Подпис и печат

Елка Каменова-Цанкова

Председател на Кооперация "Панда"




MFC-L5700DN

brother
at your side

Brother All-In-One Mono Laser Printer


The professional all-in-one performer is here

Print
Copy
Scan
Fax



Handwritten signatures and initials.

Handwritten signature.



Brother All-In-One Mono Laser Printer

The professional all-in-one performer is here



Print
Copy
Scan
Fax

Print, scan, copy and fax more efficiently - Fast print and scan speeds alongside versatile paper handling options gives you outstanding results repeatedly. Optional high-yield toner cartridges significantly reduces your print spend, making this machine the ideal print partner for your office.

Top Features:

Super-fast print speeds of up to 40ppm

Super-fast scan speeds of up to 24ipm

Combined paper input of 300 sheets

Automatic 2-Sided Printing

High-Yield Replacement Cartridges -
Optional high yield 8,000¹
page toner cartridge

Intuitive 9.3cm touchscreen
LCD display

High speed wired
(10Base-T/100 Base-TX) interface

USB 2.0

Maximise Performance

- Significantly improve office productivity levels thanks to super-fast print and scan speeds 40ppm/24ipm
- Maximize performance with high speed wired (10Base-T/100Base-TX) network interface
- Easily print from and scan to mobile devices over a network, allowing users to print using the Brother iPrint&Scan app, Android print service plugin, Google Cloud Print 2.0, Mopria and AirPrint
- The incredible easy to use 9.3cm touchscreen user interface allows users to customise their workflows
- Improved productivity with scanning of up to 24 pages a minute
- Users can easily forward faxes to an email address, or to a cloud service, saving money on paper and toner

Complete Piece of Mind

- Offering complete reliability enabling you to print up to 3,500 pages per month
- 50 page Auto document feeder and high speed scanning for seamless document management
- Outstanding paper handling options with a standard paper capacity of 300 sheets expandable to 1,340 sheets

Exceptionally Low Running Costs

- Designed for demanding high volume print environments the MFC-L5700DN includes a 2,000¹ page toner cartridge and can take an optional 8,000¹ page toner cartridge to lower your running costs even further
- A range of solutions under the PrintSmart Umbrella can help you reduce your print spend such as PrintSmart Cost Control

Meeting Your IT Challenges

- Modern businesses demand the highest levels of security. With Secure Function Lock 3.0, Active Directory connectivity and Internet Protocol Security (IPsec). Plus, the range features Print Archive, Secure Reset and Certificate Management



Handwritten signature

Handwritten signature

General

Technology	Electrophotographic Laser Printer
Laser Classification	Class 1 Laser Product (IEC60825-1:2007)
Processor	Cortex-A9 800MHz
Memory	256MB
Local Interface	Hi-Speed USB 2.0
Wired Network Interface	10Base-T/100Base-TX
Colour Touchscreen	9.3cm Colour Touchscreen
Shortcuts	48

Print

Print Speed Standard (A4)	Up to 40ppm (pages per minute)
Print Speed 2-Sided (A4)	Up to 20 sides per minute (10 sheets per minute)
Resolution	Up to 1,200 x 1,200 dpi
Quiet Mode	A mode to reduce the printing noise by reducing the print speed to 25ppm
Automatic 2-Sided Printing	Print on to both sides of the paper
FPOOT (First Print Out Time)	Less than 7.2 seconds from ready mode
Print Languages	PCL6, BR-Script3 (PostScript®3™ Language Emulation), IBM Proprinter XL, Epson FX-850 PDF version 1.7, XPS version 1.0

Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts, 13 barcodes
Embedded Fonts (Postscript)	66 scalable fonts
Embedded Barcodes (PCL)	Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C)

Printer Functions

N-up Printing ³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)
Poster Printing ⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages
Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages
ID Printing ⁴	Add identification to your printed documents (date & time, short custom message or PC username)
Manual 2-Sided Print ⁴	Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)
Booklet Printing ⁴	Print documents in A5 booklet format using automatic or manual 2-sided print
Skip Blank Page ⁴	Ignores any blank pages in your documents by not printing them
Print Profiles ³	Store your favourite driver settings as profiles to easily recall them
Print Text In Black ⁴	Converts all text in your documents to black when printed
Print Archive ⁴	An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file
Carbon Copy ⁴	Prints additional copies of the same document to paper taken from additional paper trays

Printer Driver

Windows ⁵	Windows [®] 10 (32 & 64 bit editions) Windows [®] 8 (32 & 64 bit editions) Windows [®] 7 (32 & 64 bit editions) Windows Vista [®] (32 & 64 bit editions) Windows [®] XP Professional (32 & 64 bit editions) Windows [®] XP Home Windows [®] Server 2012, 2012R2 & 2008R2 Windows [®] Server 2008 (32 & 64 bit editions) Windows [®] Server 2003 (32 & 64 bit editions)
Macintosh ⁵	OS X 10.8.5, 10.9.x, 10.10.x, 10.11.x
Linux ⁵	CUPS, LPD/LPRng (32 & 64 bit editions)
PostScript Universal Printer Driver	Driver for Windows [®] that enables you to print to any network or locally-connected Brother laser printer that supports PostScript
PCL Driver	Universal PCL5e generic driver

Mobile/Web Based Printing & Scanning

Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device
Brother iPrint&Scan (iPad / iPhone / iPod)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch
Brother iPrint&Scan (Windows [®] Phone)	Print from and scan to a smart phone running the Windows [®] Phone Operating System
Brother Print&Scan (Windows [®] 8 & RT)	Print from and scan to a Windows [®] 8 or Windows RT Tablet
Google Cloud Print 2.0	Print most common file types from any Google Cloud Print enabled application
AirPrint	Print most common file types from any AirPrint enabled application
Mopria	Print most common file types from Mopria supported Android devices
Android Print Service Plugin	Print from Android devices without a dedicated App
Evernote™ ⁶	Print from and scan to Evernote™ without using a PC
Box ⁶	Print from and scan to Box without using a PC
Dropbox ⁶	Print from and scan to Dropbox without using a PC
Google Drive™ ⁶	Print from and scan to Google Drive™ without using a PC
OneDrive ⁶	Print from and scan to Microsoft [®] OneDrive without using a PC
Picasa™ ⁶	Print from and scan to Picasa™ without using a PC
Flickr ⁶	Print from and scan to Flickr [®] without using a PC
Facebook ⁶	Print from and scan to Facebook [®] without using a PC
OneNote ⁶	Scan to Microsoft [®] OneNote without using a PC

1 Approx declared yield value in accordance with ISO/IEC19752.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.


5 Optional free download from the Brother Solutions Centre <http://support.brother.com>

6 Must be web connected.

7 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

8 It is recommended to use the straight paper output path and the quiet mode feature with paper weights over 105g/m².

9 Requires Brother Software.



brother
at your side

USB Host

Direct Print	Print directly from a USB flash memory drive. The supported file formats include: PDF version 1.7, JPEG, Exif+JPEG, PRN (created by own printer driver), TIFF (scanned by Brother model), XPS version 1.0
Direct Scan	Scan directly to a USB flash memory drive. The supported file formats include: PDF, PDF/A, Secure PDF, Signed PDF, JPEG, XPS, TIFF

Scan

Scanner Type	CIS (Contact Image Sensor)
Colour & Mono Scanning	Yes
Scan Speed Mono	24ipm (images per minute)
Scan Speed Colour	20ipm (images per minute)
Scan Resolution from ADF	Up to 600 x 600dpi
Scan Resolution from Scanner Glass	Up to 1,200 x 1,200dpi
Interpolated Scan Resolution	Up to 19,200 x 19,200dpi
Colour Depth	16,777,216 colour variations (24 bit)
Grey Scale	256 shades of grey (8 bit)
Standard Functions⁹	Scan to USB, E-mail, OCR, Image & File
Network Scanning	Scan to network folder (Windows [®] only), FTP, SFTP, Email Server ⁹ , SharePoint Server 2007/2010/2013 & Easy Scan to Email ⁹
Cloud Scanning⁹	Scan direct to Evernote™, Box, Dropbox, Google Drive™, OneDrive, Picasa, Flickr, Facebook, Evernote™, OneNote
Scan Features	Remove Background, Skip Blank Page, ID Scan ⁴ , 1 to 2 Scan ⁴ , Auto Deskew from ADF, Split PDF
Scan To Microsoft Office⁹	Scan to Microsoft [®] Word, Microsoft [®] Excel & Microsoft [®] PowerPoint
Scan to Searchable PDF	Scan documents to searchable PDF files
Scan to SharePoint	Scan documents directly into SharePoint
Outline & Scan⁶	Draw around items to either scan a section or remove a section from the original document
Windows[®] Web Services Scanning	Scan direct into Windows [®] (from Windows [®] 7 & onwards) without needing to install a scanner driver

Scanner Driver

Windows[®]	TWAIN, ISIS ⁵ & WIA Windows [®] 10 (32 & 64 bit editions), Windows [®] 8 (32 & 64 bit editions), Windows [®] 7 (32 & 64 bit editions), Windows Vista [®] (32 & 64 bit editions), Windows [®] XP Professional (32 & 64 bit editions) Windows [®] XP Home (ISIS driver not supported by Windows XP)
Macintosh⁵	TWAIN & ICA OS X 10.8.5, 10.9.x, 10.10.x, 10.11.x
Linux⁵	SANE(32 & 64 bit editions)

Copy

Speed - (A4)	Up to 40cpm (copies per minute)
FCOT (First Copy Time Out)	Less than 9.2 seconds from ready mode
Resolution	Up to 1,200 x 600dpi
Multi-Copying/Stack/Sort	Makes up to 99 copies of each page / Stacks or Sorts
Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
2in1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
Grey Scale	256 shades of grey (8 bit)
Receipt Copying	Produces clearer copies of receipts
Outline & Copy⁶	Draw around items to either copy a section or remove a section from the original document
Enlarge Text Copy⁶	Makes reading copied documents easier if the size of the text on the original document is small

Address Book

Speed Dials	300 locations for E-mail addresses and fax numbers
Group Dial	A combination of up to 20 groups can be stored for broadcasting
LDAP⁵	The ability to connect to an external LDAP enabled address book, like Microsoft [®] Exchange



Fax

Fax Modem	33,600bps (Super G3)
Internet Fax (iFax)⁵	Fax documents anywhere in the world over the Internet without the use of a telephone line
Fax to Server	Sends faxes to a server
PC Fax Send^{6,8,9}	Send faxes directly from your PC
PC Fax Receive^{8,9}	Receive faxes directly to your PC
Automatic Redial	Automatic redialling if the recipient fax is busy
Telephone Index	An electronic, alphabetical listing of stored speed dials and group numbers
Chain Dialling	Allows the user to store parts for long dialling sequences in different speed dial locations
Distinctive Ring Detection (UK & Denmark only)	An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones
Speaker / Ring Volume	3 levels and off
Fax / Tel Switch	Automatic recognition of fax and telephone reception
Super Fine	Enables quality transmission of very small print and line drawings
Contrast	Auto / light / dark
Enhanced Remote Activate	Transfer a fax call, answered on an extension phone, to the fax machine
Delayed Timer	Up to 50
Quick-Scan	Approximately 2.5 seconds per page A4 standard resolution
Memory Transmission	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Out of Paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Dual Access	Allows the operator to perform 2 different tasks on the machine at the same time
Broadcasting	Send the same fax message to up to 350 separate locations (manual 50 locations)
Batch Transmission	Stores documents for the same location in the machines memory for transmission in a single call
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
ECM (Error Correction Mode)	The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)
Fax Forwarding	Sends a fax received in memory to another pre-programmed fax number
Remote Access	Allows users to remotely access their machine
Fax Retrieval	Allows remote access to faxes stored in the machine
Remote Maintenance	Allows users to maintain their MFC remotely
Remote Set-Up³	Allows users to set-up the MFC from their PC
Grey Scale	256 shades (8 bit) of grey are available for faxing
Fax Preview	Preview received faxes on the screen
Fax Stamp	Add the date and time to all received faxes
Cover Page	Create custom cover pages for outgoing faxes

Standard Paper Handling

Paper Input²	Lower Tray - 250 sheets Multi Purpose Tray - 50 sheets Automatic Document Feeder (ADF) - 50 sheets
Paper Output²	Face Down - 150 sheets Face Up (Straight Paper Path) - 1 sheet

Optional Paper Handling

Paper Input²	250 sheet tray (LT-5500) 520 sheet tray (LT-6500) Maximum of 2 optional trays (LT-5500 & LT-6500 can be used together)
--------------------------------	---

Media Specification

Media Types & Weights⁸	Standard & Optional Trays - plain, recycled, coloured and letterhead paper (between 60 - 120g/m ²) Multi Purpose Tray - plain, recycled, bond, coloured and letterhead paper (between 60 - 200g/m ²) Automatic Document Feeder (ADF) - plain & recycled paper (between 64 - 90g/m ²) 2-sided Print - plain, recycled, coloured and letterhead paper (between 60 - 105g/m ²)
--	--

Envelope & Label Printing	Yes, from the Multi Purpose Tray: support for 10 envelopes up to 10mm total thickness
--------------------------------------	---

Media Sizes	Standard Tray - A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal Optional Tray - A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal Multi Purpose (MP) Tray - Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm Automatic Document Feeder (ADF) - Width: 105mm to 215.9mm x Length: 147.3mm to 355.6mm 2-sided Print - A4
--------------------	--

Supplies

Inbox Toner	2,000 pages ¹
Standard Yield Toner	3,000 pages ¹ (TN-3430)
High Yield Toner	8,000 pages ¹ (TN-3480)
Drum (DR-3400)	Approx. 50,000 pages at 3 pages per job Approx. 30,000 pages at 1 page per job
Carton Contents	Toner cartridge, drum, power supply cord, fax line cord, driver software for Windows ⁹ , Quick Set-Up Guide (PC interface cable NOT included)

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.

1 Approx declared yield value in accordance with ISO/IEC19752.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.


5 Optional free download from the Brother Solutions Centre <http://support.brother.com>

6 Must be web connected.

7 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

8 It is recommended to use the straight paper output path and the quiet mode feature with paper weights over 105g/m².

9 Requires Brother Software.



brother
at your side

Network & Security

Wired Network

Built in Ethernet 10Base-T/100Base-TX

Network Protocols

TCP/IP (IPv4 and IPv6)

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, POP3*, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTTP Client, LDAP, IMAP4*

*When Internet FAX/Scan to e-mail server has been downloaded.

IPv6 (Off by Default)

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3*, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTTP Client, LDAP, Web Services (Print/Scan), IMAP4*

*When Internet FAX/Scan to e-mail server has been downloaded.

Wired Network Security

APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec

*When Internet FAX/Scan to e-mail server has been downloaded.

Print Log to Network*

Records printing activities from each individual user, including network username, name of document printed and number of pages, to a file on a network

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

Secure Function Lock 3.0

Restrict activity to individual or groups of users over a network. Can be used with PC User Login Name for up to 200 users

Active Directory Authentication

Retrieve stored print jobs & control access to the devices functionality by using credentials from Active Directory

LDAP Authentication

Retrieve stored print jobs & control access to the devices functionality using credentials from an LDAP supported database

Setting Lock

Secures access to the devices control panel by locking it

Secure Print*

Protect print jobs with a 4 digit release code required at the device in order for them to be printed

Fleet Management Tools

Unattended Installer*

Ability to centrally deploy and customise our drivers and software

MSI Installer*

Modular installers that can be distributed through Active Directory*

Embedded Web Server

Web based print management software embedded onto the device

BRAdmin Professional 3^{4&5}

LAN/WAN management software

Driver Deployment Wizard*

Easily create print drivers for hassle free deployment over your network

Environment

Power Consumption

Copying - 645W (390W in quiet mode), ready - 34W, sleep - 7.5W, deep sleep - 1.8W, off - 0.04W

TEC Value

1.832kWh / Week

Sound Pressure Level

Copying - 54dba, quiet mode printing - 52dba, ready - up to 35dba

Sound Power Level

Copying - 6.67BA, quiet mode printing - 6.47BA, ready - up to 4.8BA

Power Saving

This enables the printer to consume less energy when not in use

Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

Energy Star

Yes

Blue Angel

Yes

Nordic Swan

Yes

GS Mark

Yes

Dimensions & Weights

With Carton (WxDxH)

545 x 520 x 641mm 20.1kg

Without Carton (WxDxH)

435 x 427 x 486mm 16.5kg

Duty Cycles

Recommended Monthly

Up to 3,500 pages monthly print volume

Maximum Monthly⁷

Up to 50,000 pages monthly print volume



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com



brother
at your side

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

